



SHOEI



CAT. 2025

SHOEI PREMIUM HELMETS
CATALOG 2025

レーシング サービス

FUTURE ORIENTED TECHNOLOGY
BORN FROM RACING

レーシング サービス

SAFETY / COMFORT / PASSION

レーシング

J-CRUISE 3
NEOTEC 3
X-SPR PRO
NXR 2
QT-AIR 3
GLAMSTER 06
VFX-WR 06



25

SHOEI HELMETS

SPORTS TOURING CLASSIC CITY





SHOEI
J-Cruise3

OPEN FACE

04 J-Cruise 3

FLIP UP

14 Neotec 3

FULL FACE

26 X-SPR Pro
36 NXR2
42 GT-Air 3
54 Glamster 06

OFF ROAD

58 VFX-WR 06

EXTRAS

62 Casual
64 Sena SRL3
65 Transitions® visor
66 Accessories



**OPEN
ROAD,
OPEN
MIND!**





Perfect for both urban cruising and even long touring, the updated J-Cruise3 features an enhanced superior ventilation system and Shoei Comlink for seamless connectivity. Experience unparalleled freedom and functionality wrapped up in the trust of true Shoei craftsmanship.

J-CRUISE 3



SAFETY AND COMFORT

**EVERY DETAIL IS METICULOUSLY
ENGINEERED FOR PEAK FUNCTIONALITY.**



Shoei Comlink system

- Seamless integration of a communication system (not included)
- No distraction of the helmet design, perfect aerodynamics



ULTRA
LIGHT

COMPACT
SHELL

7
SHOEI J-Cruise3






1

Wind tunnel engineered

The aerodynamic shape defines a comfortable touring helmet. Integrated spoiler – relaxed ride due to less turbulence. Ultra lightweight by innovative shell moulding technology.



AERO-DYNAMIC SHAPE

2

Enlarged QSV-2 sun visor

Sun visor with anti-fog coating. Optical precision, EN1836, smooth handling.

3

CJ-2 visor system

Minimised optical distortion. Airtight sealing. Easy and secure locking system. The bevel ensures stability and prevents wind from entering.



4

Top pocket system for customised fitting.

5

Improved Chinstrap: Smaller, more pleasant

Stainless steel Micro Ratchet System. Easy to use and always perfectly adjusted.

QSV-2

2

3



4



SPORTY DESIGN

6


SHOEI
J-Cruise3

6

Advanced ventilation

Superior performance through optimised inlet position. Extra top outlet increases airflow by 70%.

**AIRFLOW INCREASED
BY 70%.**



Safety

- **Shell in AIM**
Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- **EPS liner system with multiple densities**
Optimised protection through EPS elements with different shock-absorbing levels
- **CJ-2 visor**
Fast and easy to change
- **Stainless steel Micro Ratchet System**
Easy to use and always perfectly adjusted
- **ECE 22/06 homologation**

Wearing comfort

- **QSV-2 sun visor**
DIN EN1836 approved
- **3 different outer shell sizes**
For perfect fit and compact dimensions (XS-M / L / XL-XXL)
- **3D centre pad with top pocket**
For fine adjustment, pleasant wearing comfort, detachable, washable
- **Cheek pads detachable, washable**
For better care and individual adjustment
- **Chinstrap cover detachable, washable**
Easy to maintain and clean
- **Ear pads**
To reduce noise
- **Shoei Comlink system**
Seamless integration of a communication system (not included)

Ventilation

- **Multiple venting and extraction**
Optimum ventilation performance
- **Inlets at the upper head**
Fresh air supply guaranteed
- **Outlets at the rear**
To extract warm air

Aerodynamics

- **Integrated spoiler**
For optimised aerodynamical performance
- **Aerodynamic shape**
Wind tunnel engineered

J-Cruise 3 Open Road, Open Mind.



Integrated
Sun Visor



Micro Ratchet
System



J-CRUISE3

Accessories

- CJ-2 visor (see page 66)
In different colors
- Cheek pads
In different sizes for individual adjustment
(31, 35, 39 mm)
- Centre pad with top pocket
In different thicknesses
- Original SHOEI helmet bag
Comes with the helmet



New

 – Matt Black



— Whizzy TC-1



— Whizzy TC-5

— Whizzy TC-10

M! — Whizzy TC-11



— Inspired TC-1

M! — Matt Blue Metallic



— White

— Basalt Grey

M! — Matt Black

— Black

J-CRUISE3



New



**OPEN
UP –
EXPLORE
AHEAD.**

FLIP UP



NEOTEC 3

**THE MOST ADVANCED
FLIP UP HELMET**



**ECE 22/06
HOMOLOGATION**

**SHOEI
COMLINK**

**FLUID
DESIGN**

**WHEREVER THE ROAD LEADS YOU,
THE NEOTEC 3 IMPRESSES WITH STYLE
AND ULTIMATE WEARING COMFORT.**

The versatility of this two-in-one helmet, combined with superior aerodynamics, an enhanced sun visor and the seamless integration of the Shoei Comlink system, makes the Neotec 3 a perfect companion for two-wheeled exploration.

**WIND TUNNEL
ENGINEERED**



**INTEGRATED
SPOILER**

**SLEEK SHAPE.
FLUID DESIGN.
LIGHTWEIGHT.**



SCULPTURAL



ECE 2206

NEOTECS 3

Flip Up Helmets

1 Innovative flip up mechanism

- Locking system in the open state enables P/J double homologation as jet and full face helmet
- Very convenient to use, even with winter gloves on

2 Enhanced QSV-2 sun visor

- 5mm enlarged
- Less light distraction
- Optical precision, EN1836
- Smooth handling



Open cover, locked firmly

- (Jet homologation)

P / J

FLIP
UP!

+

-

3



Shoei Comlink system

- Seamless integration of a communication system (not included)
- No distraction of the helmet design, perfect aerodynamics



1

CENTER LOCKING, EASY HANDLING

CNS-3C visor system

- Center locking, easy handling
- Redefined visor shape for optimum sealing
- Minimised optical distortion

2

Superior ventilation

- Multiple venting and extraction
- Closable inlets
- Insect filter inside



3

Improved Chinstrap: Smaller, more pleasant

- Stainless steel Micro Ratchet System
- Easy to use and always perfectly adjusted



4

Maximum silencing, Cheek pad with Noise Isolator®

- Deflector prevents wind ingress
- Maximum noise reduction
- Optimum wearing comfort

5

Top pocket system

- for customised fitting



NEOTECS

Flip Up Helmets

**COMPACT.
AERODYNAMIC.
EFFICIENT.**

**SUPREME
COMFORT**

**RELAXED
RIDE**



Safety

- **Shell in AIM**
Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- **EPS liner system with multiple densities**
Optimised protection through EPS elements with different shock-absorbing levels
- **Mist-retardant CNS-3C Pinlock® visor**
Fast and easy to change
- **Stainless steel Micro Ratchet System**
Easy to use and always perfectly adjusted
- **360° Pivot locking system made of stainless steel**
For secure locking of the face cover
- **Double homologation P/J**
Homologated as jet and full face helmet
- **ECE 22/06 homologation**

Wearing comfort

- **QSV-2 sun visor**
DIN EN1836 approved
- **3 different outer shell sizes**
For perfect fit and compact dimensions (XS-M / L / XL-XXL)
- **3D centre pad with top pocket**
For fine adjustment, pleasant wearing comfort, detachable, washable
- **Cheek pads detachable, washable**
For better care and individual adjustment
- **Chinstrap cover detachable, washable**
Easy to maintain and clean
- **Ear pads**
To reduce noise
- **Shoei Comlink system**
Seamless integration of a communication system (not included)

Ventilation

- **Multiple venting and extraction**
Optimum ventilation performance
- **Closable inlets on brow & chin**
Fresh air supply guaranteed
- **Insect filter inside**
- **Outlets at the rear**
To extract warm air

Aerodynamics

- **Integrated spoiler**
For optimised aerodynamical performance
- **Seamless design, fluid shape**
Wind tunnel engineered aerodynamics

Neotec 3 The most advanced flip up helmet



Integrated
Sun Visor



Micro Ratchet
System



NEOTECS

Flip Up Helmets

Accessories

- **Service tool**
(Included)
- **CNS-3C visors (see page 66)**
In different colors
- **Cheek pads**
In different sizes for individual adjustment
(31, 35, 39 mm)
- **Centre pad**
In different thicknesses
- **Breath Guard (see page 66)**
Prevents fogging of the visor (Included)
- **Chin Curtain (see page 66)**
Reduces turbulences inside the helmet
(Included)
- **Original SHOEI helmet bag**
Comes with the helmet





— Anthem TC-10



— Anthem TC-5



— Anthem TC-8



— Anthem TC-3



— Grasp TC-5



 — Grasp TC-1



— Grasp TC-3



— Grasp TC-10

NEOTECS

Flip Up Helmets



New





– Fragments TC-2



M! – Satori TC-5

– Satori TC-6



M! – Matt Blue Metallic

– Light Silver

– Anthracite Metallic

M! – Matt Deep Grey



– Black

M! – Matt Black

– White

NEOTECS

Flip Up Helmets



New



BORN FROM RACING,



1

2D visor shape

Easy application
of tear-offs

2D

5

Highly sophisticated aerodynamic system

- (A) Integrated spoiler
- (B) Rear flaps
- (C) Vortex generators
- (D) Lower air spoiler
- Reduction of drag and lift

Trigger Lock

Prevents visor detachment

2

Double secured visor lock system

Prevents opening due to an
impact caused by an accident

Emergency Quick Release System

- E.Q.R.S. rescue system
- For easy helmet removal in
case of an accident
- Pull to remove cheek pad

6

Multi-density EPS liner system

- Inner absorption liner
with different densities
- Optimised protection grown
from 60 years of experience

7

Pocket system for customized fitting

A set of 5 adjustment pads is available for
individual adjustment, simply insert the
pads into the respective pocket

SHOEI TECH- NOLOGY.

8

Modular padding

- Combine the different parts in individual
sizes for a perfect fit
- Tactile fabrics, soft and stable,
fully removable, washable
- Ultra wicking, quick dry

NEW **POCKET
SYSTEM**

TECHNOLOGY

9

High performance ventilation

- 7 closable air inlets, 6 air outlets
- Innovative cheek vent system, active cooling even in the lower part of the helmet

9



AIM+

10

6 ply shock-absorbent shell in AIM+

- Multi-composite and high performance fiber layers
- High strength, light weight
- Optimal elasticity



Safety

- ECE 22/06 - FIM homologation
- **Shock-absorbent shell in AIM+**
Organic fibre, multi-composite and high-performance fibre in various layers for a shock-absorbent shell with optimum rigidity
- **EPS liner system with multiple densities**
Optimised protection through EPS elements with different shock-absorbing levels
- **Mist-retardant CWR-F2R Pinlock® visor**
 - 2D shape for easy application of tear-offs
 - Double secured visor lock system
 - Vortex generators for advanced aerodynamic performance
- **Double D-Ring**
Easy to handle, always perfectly adjusted
- **E.Q.R.S. security system**
Emergency Quick Release System for easy helmet removal in case of an accident

Wearing comfort

- **4 different outer shell sizes**
For perfect fit and compact dimensions (XS-S / M / L / XL-XXL)
- **Modular centre pad, detachable, washable**
Pleasant wearing comfort
- **Cheek pads detachable, washable**
In different thicknesses for individual adjustment
- **Chinstrap cover detachable, washable**
For better care

Ventilation

- **High performance racetrack ventilation**
- **Innovative cheek vent system**
Active cooling even in the lower part of the helmet
- **7 closable air inlets and 6 air outlets**
Multiple venting and extraction

Aerodynamics

- **Sophisticated aerodynamic system**
Reduces drag and lift and avoids shaking, for high speeds up to 350 km/h
- **Rear stabilizer with flaps**
Rear flaps provide stability during braking
- **Lower air spoiler**
Controlled airflow around the lower part of the helmet

X-SPR Pro Professional racing helmet



X-SPR P00

Accessories

- Different visors (see page 66)
In individual colors
- Cheek pads
In different thicknesses for individual adjustment (31, 35, 39, 43 mm)
- Modular centre pad
In different thicknesses
- Breath Guard (see page 66)
Comes with the helmet
- Chin Curtain (see page 66)
Comes with the helmet
- Lower air spoiler
- Original SHOEI helmet bag
Comes with the helmet



▲
M1 – Matt Black

– Black

– White



— Crosslogo TC-5



— Marquez 8 TC-1



— A.Marquez73 V2 TC-2



— Proxy TC-6



— Proxy TC-10



— Proxy TC-11



X-SPR PRO

Full Face Helmets



SHOEI

Marc Márquez, MotoGP World Champion
2013, 2014, 2016, 2017, 2018, 2019,
wearing the X-SPR Pro



— Marquez Motegi4 TC-1



EAT, SLEEP, RIDE, REPEAT!

Fabio Di Giannantonio
wearing the X-SPR Pro @ MotoGP



New

– Digia2 TC-1



– Escalate TC-1



– Escalate TC-2



– Escalate TC-4



– Escalate TC-5



– Escalate TC-10

X-SPEED

Full Face Helmets



**EXPERIENCE
PURE
MOTORCYCLE
GP
PERFORMANCE**



Safety

- **Shell in AIM**
Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- **EPS liner system with multiple densities**
Optimised protection through EPS elements with different shock-absorbing levels
- **Mist-retardant CWR-F2 Pinlock® visor**
Fast and easy to change
- **Double D-Ring**
Easy to handle, always perfectly adjusted
- **E.Q.R.S. security system**
E.Q.R.S. (Emergency Quick Release System) for easy helmet removal in case of an accident
- ECE 22/06 homologation

Wearing comfort

- **5 different outer shell sizes**
For perfect fit and compact dimensions (XXS-S / M / L / XL-XXL / XXXL)
- **3D centre pad, detachable, washable**
Pleasant wearing comfort
- **Cheek pads detachable, washable**
For better care and individual adjustment
- **Chinstrap cover detachable, washable**
Easy to maintain and clean
- **Ear pads**
To reduce noise
- **Prepared for Intercom installation**

Ventilation

- **Multiple venting and extraction**
For optimum ventilation performance
- **6 Inlets on brow and chin**
Fresh air supply guaranteed
- **4 Outlets at the rear**
To exhaust warm air

Aerodynamics

- **Integrated spoiler**
For optimised aerodynamical performance

NXR2 Sporty street helmet



– **White**
Also available in XXXL.



– **Basalt Grey**



M! – **Matt Blue Metallic**



– **Shine Red**

NXR2

Accessories

- Different visors (see page 66)
In individual colors
- Cheek pads
In different sizes for individual adjustment
(31, 35, 39, 43 mm)
- Centre pad
In different thicknesses
- Breath Guard (see page 66)
Prevents fogging of the visor (Included)
- Chin Curtain (see page 66)
Reduces turbulences inside the helmet
(Included)
- Original SHOEI helmet bag
Comes with the helmet

XXXL

Individual XXXL shell size for
perfect fit (White, Matt Black)



– Matt Black

Also available in XXXL.

– Black



— Beaut TC-1



— Beaut TC-3



 — Beaut TC-6



 — Knee Down TC-5



— Origami TC-5

NXR 2

Full Face Helmets



New



▲
— Yagyo TC-2



— Sheen TC-2



— Sheen TC-1



M! — Gleam TC-5



— Capriccio TC-10



M! — Capriccio TC-1



M! — Capriccio TC-4



M! — Capriccio TC-5



— Capriccio TC-11

NXR
2

— Ideograph TC-6



DEFYING
LIMITS.

GT-AIR 3 NEXT-GEN TOURING. TECH PRECISION PEAK PERFORMANCE IN ALL CONDITIONS.

ECE 2206



3

NEXT-GEN TOURING WITH THE SHOEI GT-AIR 3.

The sleek aerodynamic shell houses cutting-edge tech, silent ride engineering, ECE 22/06 homologation and exceptional ventilation performance. Stay linked through the seamlessly integrated Shoei Comlink system!





GT-AIR 3

Full Face Helmets

Maximum noise reduction

**SILENT RIDE
ENGINEERING**

1

Wind tunnel engineered

**SUPERIOR
AERODYNAMICS**

2

Top pocket system

— for customised fitting

**OPTICAL
PRECISION****Enlarged
QSV-2 sun visor**

- Less light distraction
- Optical precision, EN1836
- Smooth handling





**STAY LINKED THROUGH
THE SEAMLESSLY INTEGRATED
SHOEI COMLINK SYSTEM!**



1



Shoei Comlink system

- Seamless integration of a communication system (not included)
- No distraction of the helmet design, perfect aerodynamics

2

Improved Chinstrap: Smaller, more pleasant

- Stainless steel Micro Ratchet System
- Easy to use and always perfectly adjusted

3

Superior ventilation

- Multiple venting and extraction
- Improved, closable air intakes
- Equipped with insect filter inside

3




NEW CENTER LOCKING.

4

CNS-1C visor system

- Center locking, easy handling
- Additional position ,slightly open' prevents fogging of visor
- Better air supply



3

Safety

- **Shell in AIM**
Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- **EPS liner system with multiple densities**
Optimised protection through EPS elements with different shock-absorbing levels
- **Mist-retardant CNS-1C Pinlock® visor**
Fast and easy to change
- **Stainless steel Micro Ratchet System**
Easy to use and always perfectly adjusted
- **E.Q.R.S. security system**
Emergency Quick Release System for easy helmet removal in case of an accident
- **ECE 22/06 homologation**

Wearing comfort

- **QSV-2 sun visor**
DIN EN1836 approved
- **3 different outer shell sizes**
For perfect fit and compact dimensions (XS-M / L / XL-XXL)
- **3D centre pad with top pocket**
For fine adjustment, pleasant wearing comfort, detachable, washable
- **Cheek pads detachable, washable**
For better care and individual adjustment
- **Chinstrap cover detachable, washable**
Easy to maintain and clean
- **Ear pads**
To reduce noise
- **Shoei Comlink system**
Seamless integration of a communication system (not included)

Ventilation

- **Multiple venting and extraction**
Optimum ventilation performance
- **Closable inlets on brow & chin**
Fresh air supply guaranteed
- **Insect filter inside**
- **Outlets at the rear**
To exhaust warm air
- **Additional visor position 'slightly open'**
 - Prevents fogging of the visor
 - Better air supply

Aerodynamics

- **Integrated spoiler**
For optimised aerodynamical performance
- **Wind tunnel engineered**

GT-Air 3 Next-Gen Touring



Integrated
Sun Visor



Micro Ratchet
System



– White



– Brilliant Yellow



 – Matt Deep Grey



 – Matt Black

GT-AIR 3

Full Face Helmets

Accessories

- **Service tool**
(Included)
- **CNS-1C visors (see page 66)**
In different colors
- **Cheek pads**
In different sizes for individual adjustment
(31, 35, 39 mm)
- **Centre pad**
In different thicknesses
- **Breath Guard (see page 66)**
Prevents fogging of the visor (Included)
- **Chin Curtain (see page 66)**
Reduces turbulences inside the helmet
(Included)
- **Original SHOEI helmet bag**
Comes with the helmet



▲
M! – Matt Blue Metallic

– Black



— Hi-ke TC-10

— Hi-ke TC-8



— Scenario TC-5



— Scenario TC-3



— Realm TC-1



— Realm TC-5



— Realm TC-10

GT-Air 3

Full Face Helmets



New

▲
— Hike TC-11





— MM93 Collection Grip TC-1

GT-AIR 3



 — Nile TC-9



 — Discipline TC-1



 — Discipline TC-2



— Discipline TC-6

GT-Air 3

Full Face Helmets

New



— Liit TC-10

Safety

- **Shell in AIM**
Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- **EPS liner system with multiple densities**
Optimised protection through EPS elements with different shock-absorbing levels
- **CPB-1V Pinlock® visor**
 - Clear vision in many conditions
 - 3 position adjustment
- **Double D-Ring**
Easy to use and always perfectly adjusted
- **E.Q.R.S. security system**
Emergency Quick Release System for easy helmet removal in case of an accident
- **ECE 22/06 homologation**

Wearing comfort

- **4 different outer shell constructions**
For perfect fit and compact dimensions (XS-S / M / L / XL-XXL)
- **Center pad detachable, washable**
For pleasant wearing comfort
- **Cheek pads detachable, washable**
For better care and individual adjustment
- **Chinstrap cover detachable, washable**
Easy to maintain and clean

Accessories

- **Cheek pads**
In different sizes for individual adjustment (31, 35, 39, 43, 47 mm)
- **Original SHOEI helmet bag**
Comes with the helmet
- **CPB-1V in different colors (see page 66)**
Clear visor comes with the helmet

Glamster 06 Style for Miles



Style
for
Miles



– Off White



– Black



 – Matt Black



– Laguna Blue

GLAMSTER 06



▲
— Basalt Grey

gloss



– Heiwa Motorcycles TC-4



– MM93 Collection Classic TC-5



– Abiding TC-3



– Abiding TC-10



– Abiding TC-1



– Bivouac TC-9



– Bivouac TC-2

GLAMSTER TOO FAST TO LIVE TOO OLD TO DIE



Safety

- **Shock-absorbent shell in AIM+**
Organic fibre, multi-composite and high-performance fibre in various layers for a shock-absorbent shell with optimum rigidity
- **M.E.D.S. (Motion Energy Distribution System)**
Additional layer of EPS liner reduces rotational acceleration energy to the head in the event of an accident
- **3-piece EPS liner system**
Optimised protection through EPS elements with different shock-absorbing levels
- **E.Q.R.S. security system**
Emergency Quick Release System for easy helmet removal in case of an accident
- **Double D-Ring**
Easy to handle, always perfect adjusted
- **Including mud guard**
- **ECE 22/06 homologation**

Wearing comfort

- **4 different outer shell sizes**
For perfect fit and compact dimensions (XS-S / M / L / XL-XXL)
- **Detachable and washable 3D Max-Dry cheek pads**
 - In different thicknesses for individual adjustment
 - Breathable and moisture absorbent
- **Detachable and washable 3D Max-Dry centre pad**
 - Pleasant wearing comfort
 - Breathable and moisture absorbent
- **Chinstrap cover detachable, washable**
For better care

Ventilation

- **Multiple venting and extraction**
For optimum ventilation, even in the hottest racing situations
- **Several intake vents on the brow area and on the upper head area**
For fresh air intake
- **Multiple outlet vents in the spoiler and on the neck**
To exhaust warm air

Aerodynamic

- **Special shell construction**
Radical sporty design with integrated spoilers for optimised aerodynamics and performance
- **Fully integrated peak**
Seamless connection between shell and peak
- **Aggressively-shaped face guard**
For reduced drag

VFX-WR 06 Professional off road helmet



– White



– Black



 – Matt Black

VFX-WR 06

Accessories

- **3D cheek pads**
In different thicknesses for individual adjustment (31, 35, 39, 43 mm)
- **Peak**
Available in various colours and decors
- **Chinstrap cover**
- **Centre Pad**
In different thicknesses
- **Nose Cover**
Available in various colours
- **Original SHOEI helmet bag**
Comes with the helmet





STRAIGHT
LINES —
NO **GAMES**



VFX-WR 06



— Jammer TC-1



— Jammer TC-2



— Jammer TC-5



— Jammer TC-8





CASUAL



— T-Shirt X-Logo white / black



— Zip Hoody X-Logo black / white



— T-Shirt blue / red / black / grey



SHOEI-EUROPE.COM



— Zip Hoody blue / grey / black



— Basecap white/black



— Beanie grey



— Beanie black



— Beanie blue



— Basecap white/black



— Basecap black/white



— Basecap black/black



— Trucker Cap black/grey



— Trucker Cap white/blue



The SRL3 is custom-designed specifically to fit into the interior recesses of the SHOEI Neotec 3, GT-Air 3, and J-Cruise 3 helmets.

The left side of the SRL3 features a 3-button control, while the right side houses the simple one-click-to-connect Mesh Intercom™ button.

SRL3

FROM **SENA** COMMUNICATION SYSTEM

**RICH SOUND.
EXTENSIVE FUNCTIONS.**

COM

Rich sound, extensive functions, perfect integration into the helmet shell thanks to minimal device size. The SRL3 communication system from SENA provides excellent entertainment and up-to-date information while riding, but is pleasantly discreet in appearance.

Custom-designed for three of SHOEI's most popular helmets:

**GT-AIR 3
J-CRUISE 3
NEOTEC 3**

(Optional)



**PERFECT
INTEGRATION.**



**GROUP MESH FOR
UP TO 24 MEMBERS**



**SOUND BY
HARMAN KARDON**



**VOICE
COMMAND**



**TALK TIME UP
TO 8 HOURS**




**BLUETOOTH
5.0**

PHOTOCHROMIC TECHNOLOGY FOR A SAFER, MORE ENJOYABLE RIDE.

Motorcyclists know how important a clear, crisp vision is. Traditionally, riders deal with changing light conditions by carrying two shields (one clear, one tinted) with them at all times.

Transitions® adaptive visors solve this problem and even enhance vision by seamlessly adjusting to optimised darkness levels with the changing light.

Transitions™ **ADAPTIVE** VISOR TECHNOLOGY



Designed to meet the international standards

- Transitions® Optical has been an industry leader in photochromic technology for 20 years and is known worldwide for its photochromic prescription eyeglasses.
- UV protection: the visor blocks 100% of UV rays
- Full activation in 2 minutes
- Impact resistant

Photochromic molecules make light, dark, and every shade in between possible

- When Transitions® lenses are exposed to UV light, trillions of photochromic molecules in the lens begin to change structure. This reaction is what causes the lenses to darken.
- The superiority of Transitions® brand technology lies in their exclusive, patented formulas. The molecules constantly and smoothly recalibrate so the optimal amount of light reaches your eyes whether you're in bright sunlight or under cloud cover.

VISORS

		X-SPR Pro	NXR 2	GT-Air 3	Neotec 3	J-Cruise 3	Glamster 06	J-O	Ex-Zero	Hornet ADV	X-Spirit 3	NXR	GT-Air 2	Neotec 2	J-Cruise 2
	Clear	CWR-F2 CWR-F2R	CWR-F2 CWR-F2R	CNS-1C	CNS-3C	CJ-2	CPB-1V ***	CJ-3	CJ-3	CNS-2	CWR-1 CWR-F	CWR-1 CWR-F	CNS-1	CNS-3	CJ-2
	Mellow Smoke	-	-	CNS-1C	CNS-3C	-	-	-	-	-	CWR-1 CWR-F	CWR-1 CWR-F	CNS-1	CNS-3	-
	Light Smoke	CWR-F2 CWR-F2R	CWR-F2 CWR-F2R	-	-	-	-	-	-	-	-	-	-	-	-
	Dark Smoke	CWR-F2* CWR-F2R*	CWR-F2* CWR-F2R*	CNS-1C* QSV-2	CNS-3C* QSV-2	CJ-2* QSV-2	CPB-1V*	CJ-3*	CJ-3*	CNS-2*	CWR-1* CWR-F*	CWR-1* CWR-F*	CNS-1* QSV-2	CNS-3* QSV-1	CJ-2* QSV-2
	Spectra Silver	CWR-F2* CWR-F2R*	CWR-F2* CWR-F2R*	CNS-1C*	CNS-3C*	-	-	CJ-3*	CJ-3*	CNS-2*	CWR-1*	CWR-1*	CNS-1*	CNS-3*	-
	Spectra Blue	CWR-F2* CWR-F2R*	CWR-F2* CWR-F2R*	CNS-1C*	CNS-3C*	-	-	-	-	-	CWR-1*	CWR-1*	CNS-1*	CNS-3*	-
	Spectra Gold	CWR-F2* CWR-F2R*	CWR-F2* CWR-F2R*	-	-	-	-	CJ-3*	CJ-3*	-	CWR-1*	CWR-1*	-	-	-
	High Definition Orange	-	-	-	-	-	-	-	-	-	CWR-1*	CWR-1*	-	-	-
	High Definition Yellow	CWR-F2* CWR-F2R*	CWR-F2* CWR-F2R*	- QSV-2	- QSV-2	- QSV-2	-	CJ-3*	CJ-3*	-	CWR-1* CWR-F*	CWR-1* CWR-F*	- QSV-2	- QSV-1	- QSV-2
	Spectra Rainbow	CWR-F2* CWR-F2R*	CWR-F2* CWR-F2R*	CNS-1C*	CNS-3C*	-	-	-	-	-	CWR-1*	CWR-1*	CNS-1*	CNS-3*	-
	Transitions® adaptive visor	CWR-F2* CWR-F2R*	CWR-F2* CWR-F2R*	-	-	-	-	CJ-3*	CJ-3*	-	CWR-1*	CWR-1*	-	-	-
	Pinlock®	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓

ACCESSORIES

Airmask	✓	-	-	-	-	-	-	-	-	-	✓	-	-	-	-
Breath Guard	D	F	F	F	-	-	-	-	-	H	J	F	F	F	-
Chin Curtain	D	D	J	H / I	-	K	-	-	-	D	D	D	J	H / I	-
Peak	-	-	-	-	-	V-440	-	-	V-480	-	-	-	-	-	V-440
Intercom Adapter Kit SRL/SRL2/SRLMesh to ComLink	-	-	✓	✓	✓	-	-	-	-	-	-	-	-	-	-



Racing Visor**
(CWR-F, CWR-F2R)



Tear-offs**
tear-off foils for racing visors



Universal Com Holder
for installation of third party communication systems



Airmask**
(only X-Spirit 3, X-SPR Pro)



Breath Guard**
repels breath



Chin Curtain**
prevents air turbulence and helps reducing noise

M: Flat

* Not in conformity with the current E22/05 resp. E22/06 homologation requirement.

** Illustrations can differ, depending on the model.

*** CPB-1V Pinlock® shields equipped with Pinlock® EVO lens do not meet ECE R22 optical property requirements.

Caveat emptor: It is possible that during the reproduction process slight deviations in colour and graphic design may occur. For these deviations, any warranty by SHOEI is expressly excluded.

Last revised: September 2024

Details of scope of delivery, technical data, design, features, material and external appearance were correct when the brochure went to print and are therefore non-binding. Errors excepted. Subject to modification.

All rights reserved. This publication is copyright protected. All rights are reserved, in particular those pertaining to the translation, reprinting, re-use of illustrations, broadcasting, reproduction by photocopying machines or similar means and storage in databases. Reproductions and other measures which infringe upon rights are only admissible subject to the prior written consent of the copyright holder. CW-1 Visor Patent EP 1 856 999 A2.

Design: Bionic-Systems.com, Düsseldorf





Content: SHOEI (Europa) GmbH, Langenfeld

Photos: Klaus Dyba, Lukasz Swiderek, Oriol Castelló Arroyo, Javier Echavarria, Dimitri Coste, Bavo Swijgers, Busty Wolter, Shoei

You can find further information and a list of distributors at: www.shoei-europe.com

Head Circumference (cm)	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66
Helmet Size	XXS		XS		S		M		L		XL		XXL		XXXL	

HELMET SIZE CHART



SHOEI EUROPA GMBH
ELISABETH-SELBERT-STR. 13
40764 LANGENFELD
GERMANY

+49 2173 – 399 75 32
SHOEI-EUROPE.COM

SHOEI

SHOEI 2025

レーシング サービス PIONEERING PROTECTION

ECE 22.06

SHOEI PREMIUM HELMETS
CATALOG 2025

ECE 22.06

SHOEI

25